

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET, N.E. ATLANTA, GEORGIA 30365

4WD-WPB

Ms. Lois Ferdinand 2266 Collins Road, N.W. Atlanta, Georgia 30318

Dear Ms. Ferdinand:

Thank you for your October 3, 1990, letter in which you express your environmental concerns. Concerning Sanifil landfill in Cobb County.

As stated in our telephone conversation on October 15, 1990. Environmental Protection Agency (EPA) will input this site into our data system as a new discover site.

Attached is a copy of a Preliminary Assessment Petition that we talked about. If you should have any questions or concerns. Please don't hesitate to contact me at (404) 347-5065.

Sincerely,

Janice P. Thomas Sit⊕ Assessment Manager

APPENDIX A

OMB Approval Number: 2050-0095 Approved for Use Through: 1/92

PA Scoresheets

Site Name: Southern States Landfill Investigator: Alexandra V. Brooks

CERCLIS ID No.: GAD984288191 Agency/Organization: GA EPD

Street Address: 13 Collins Road Street Address: 205 Botler St. SE

City/State/Zip: Atlanta, GA 30318 City/State/Zip: Atlanta, GA 30334

Date: <u>SEPT 30,1992.</u>

INSTRUCTIONS FOR SCORESHEETS

Introduction

This scoresheets package functions as a self-contained workbook providing all of the basic tools to apply collected data and calculate a PA score. Note that a computerized scoring tool, "PA-Score," is also available from EPA (Office of Solid Waste and Emergency Response, Directive 9345.1-11). The scoresheets provide space to:

- Record information collected during the PA
- Indicate references to support information
- Select and assign values ("scores") for factors
- Calculate pathway scores
- Calculate the site score

Do not enter values or scores in shaded areas of the scoresheets. You are encouraged to write notes on the scoresheets and especially on the Criteria Lists. On scoresheets with a reference column, indicate a number corresponding to attached sources of information or pages containing rationale for hypotheses; attach to the scoresheets a numbered list of these references. Evaluate all four pathways. Complete all Criteria Lists, scoresheets, and tables. Show calculations, as appropriate. If scoresheets are photocopy reproduced, copy and submit the numbered pages (right-side pages) only.

GENERAL INFORMATION

Site Description and Operational History: Briefly describe the site and its operating history. Provide the site name, owner/operator, type of facility and operations, size of property, active or inactive status, and years of waste generation. Summarize waste treatment, storage, or disposal activities that have or may have occurred at the site; note also if these activities are documented or alleged. Identify probable source types and prior spills. Summarize highlights of previous investigations.

Probable Substances of Concern: List hazardous substances that have or may have been stored, handled, or disposed at the site, based on your knowledge of site operations. Identify the sources to which the substances may be related. Summarize any existing analytical data concerning hazardous substances detected onsite, in releases from the site, or at targets.

GENERAL INFORMATION

Site Description and Operational History:

The Southern States Landfill site is located on the western edge of the Atlanta City and Fulton County limits on the banks of the Chattahoochee River. It is bordered on the north by the Chattahoochee River, the southeast by Chambers Landfill, the west by Blue Circle Cement plant and on the east by a pair of CSX rail lines, sewage treatment plant, water treatment plant and other industrial facilities. The total property area consists of approximately thirty nine (39) acres. Primary land use in the area is heavily industrial and commercial use with limited residential use.

Previous to 1984, the site was mined for clay. The time frame for the mining activities at this time is unknown. No other pre-landfilling use is known at this time.

Permit Number 060-010D was issued November 5, 1975 to Southern States Landfill, Inc. authorizing the operation of a sanitary landfill. The landfill was not developed until R. M. Cash and Sons, Inc. purchased the property in June, 1984. Landfilling operations began in October of 1984.

Since beginning operations, the landfill has accepted putrescible and nonputrescible commercial and residential solid waste. Regulated hazardous wastes were not accepted at the landfill. Any amount of hazardous substance should not be greater than that found in typical municipal sanitary landfills.

The site was owned and operated by Southern States Landfill, Inc. from its opening in 1984 until mid 1990, when it was sold to Sanifill, Inc., the present owner and operator. Waste was deposited in sequential manner beginning at the northeast corner near the railroad. Sometime after initial operations began, a construction and demolition waste section was added near the river at the northwestern corner of the site.

Probable Substances of Concern:

(Previous investigations, analytical data)


PREVIOUS INVESTIGATIONS INDICATED GROUNDWATER AND AIR CONTAMINATION, THE INSTALLATION OF A VACUUM SYSTEM AND A FLARE IS CONTROLLING THE AIR EMISSIONS. ADDITIONAL GROUNDWATER INVESTIGATIONS INDICATE GROUND WATER CONTAMINATION MAY BE COMING FROM OFFSITE.

GENERAL INFORMATION (continued)

Site Sketch: Prepare a sketch of the site (freehand is acceptable). Indicate all pertinent features of the site and nearby environs, including: waste sources, buildings, residences, access roads, parking areas, drainage patterns, water bodies, vegetation, wells, sensitive environments, etc.

****/3

GENERAL INFORMATION (continued)



SOURCE EVALUATION

- Number and name each source (e.g., 1. East Drum Storage Area, 2. Sludge Lagoon, 3. Battery Pile).
- Identify source type according to the list below.
- Describe the physical character of each source (e.g., dimensions, contents, waste types, containment, operating history).
- Show waste quantity (WQ) calculations for each source for appropriate tiers. Refer to instructions opposite
 page 5 and PA Tables 1a and 1b. Identify waste quantity tier and waste characteristics (WC) factor category
 score (for a site with a single source, according to PA Table 1a). Determine WC from PA Table 1b for the sum
 of source WQs for a multiple-source site.
- · Attach additional sheets if necessary.
- Determine the site WC factor category score and record at the bottom of the page.

Source Type Descriptions

Landfill: an engineered (by excavation or construction) or natural hole in the ground into which wastes have been disposed by backfilling, or by contemporaneous soil deposition with waste disposal, covering wastes from view.

<u>Surface Impoundment</u>: a topographic depression, excavation, or diked area, primarily formed from earthen materials (lined or unlined) and designed to hold accumulated liquid wastes, wastes containing free liquids, or sludges that were not backfilled or otherwise covered during periods of deposition; depression may be dry if deposited liquid has evaporated, volatilized or leached, or wet with exposed liquid; structures that may be more specifically described as lagoon pond, aeration pit, settling pond, tailings pond, sludge pit, etc.; also a surface impoundment that has been covered with soil after the final deposition of waste materials (i.e., buried or backfilled).

Drums: portable containers designed to hold a standard 55-gallon volume of wastes.

<u>Tanks and Non-Drum Containers</u>: any stationary device, designed to contain accumulated wastes, constructed primarily of fabricated materials (such as wood, concrete, steel, or plastic) that provide structural support; any portable or mobile device in which waste is stored or otherwise handled.

Contaminated Soil: soil onto which available evidence indicates that a hazardous substance was spilled, spread, disposed, or deposited.

Pfie: any non-containerized accumulation above the ground surface of solid, non-flowing wastes; includes open dumps. Some types of piles are: Chemical Waste Pile -- consists primarily of discarded chemical products, by-products, radioactive wastes, or used or unused feedstocks; Scrap Metal or Junk Pile -- consists primarily of scrap metal or discarded durable goods such as appliances, automobiles, auto parts, or batteries, composed of materials suspected to contain or have contained a hazardous substance; Tailings Pile -- consists primarily of any combination of overburden from a mining operation and tailings from a mineral mining, beneficiation, or processing operation; Trash Pile -- consists primarily of paper, garbage, or discarded non-durable goods which are suspected to contain or have contained a hazardous substance.

<u>Land Treatment</u>: landfarming or other land treatment method of waste management in which liquid wastes or sludges are spread over land and tilled, or liquids are injected at shallow depths into soils.

Other: a source that does not fit any of the descriptions above; examples include contaminated building, ground water plume with no identifiable source, storm drain, dry well, and injection well.

/4

SOURCE EVALUATION

	··		
Source No.:	Source Name:		Source Waste Quantity (WQ) Calculations:
Source Description	•		
LANDFILL	, ^39 ACRES		
	A Company of the Comp		
	•		
	•	•	·
Source No.:	Source Name:		Source Waste Quantity (WQ) Calculations:
Source Description	:		
	· .		
			. .
	··		
	<u></u>	<u> </u>	
Source No.:	Source Name:		Source Waste Quantity (WQ) Calculations:
Source Description	:		
,			
·			
	· · · · · · · · · · · · · · · · · · ·	:• • • •	
	the second of the second	-	
			Site WC:
•			32
			22

WASTE CHARACTERISTICS (WC) SCORES

WC, based on waste quantity, may be determined by one or all of four measures called "tiers": constituent quantity, wastestream quantity, source volume, and source area. PA Table 1a (page 5) is divided into these four tiers. The amount and detail of information available determine which tier(s) to use for each source. For each source, evaluate waste quantity by as many of the tiers as you have information to support, and select the result that gives you the highest WC score. If minimal, incomplete, or no information is available regarding waste quantity, assign a WC score of 18 (minimum).

PA Table 1a has 6 columns: column 1 indicates the quantity tier; column 2 lists source types for the four tiers; columns 3, 4, and 5 provide ranges of waste amount for <u>sites with only one source</u>, which correspond to WC scores at the top of the columns (18, 32, or 100); column 6 provides formulas to obtain source waste quantity (WQ) values at <u>sites with multiple sources</u>.

To determine WC for sites with only one source:

- Identify source type (see descriptions opposite page 4).
- 2. Examine all waste quantity data available.
- 3. Estimate the mass and/or dimensions of the source.
- 4. Determine which quantity tiers to use based on available source information.
- 5. Convert source measurements to appropriate units for each tier you can evaluate for the source.
- Identify the range into which the total quantity falls for each tier evaluated (PA Table 1a).
- 7. Determine the highest WC score obtained for any tier (18, 32, or 100, at top of PA Table 1a columns 3, 4, and 5, respectively).
- 8. Use this WC score for all pathways.*

To determine WC for sites with multiple sources:

- 1. Identify each source type (see descriptions opposite page 4).
- 2. Examine all waste quantity data available for each source.
- 3. Estimate the mass and/or dimensions of each source.
- 4. Determine which quantity tiers to use for each source based on the available information.
- 5. Convert source measurements to appropriate units for each tier you can evaluate for each source.
- For each source, use the formulas in column 6 of PA Table 1a to determine the WQ value for each tier that can be evaluated. The highest WQ value obtained for any tier is the WQ value for the source.
- 7. Sum the WQ values for all sources to get the site WQ total.
- 8. Use the site WQ total from step 7 to assign the WC score from PA Table 1b.
- 9. Use this WC score for all pathways.*

^{*} The WC score is considered in all four pathways. However, if a primary target is identified for the ground water, surface water, or air migration pathway, assign the determined WC or a score of 32, whichever is greater, as the WC score for that pathway.

PA TABLE 1: WASTE CHARACTERISTICS (WC) SCORES

PA Table 1a: WC Scores for Single Source Sites and Formulas for Multiple Source Sites

	·			£5 5	
7		SINGLE	SOURCE SITES (assigned WC	scores)	MULTIPLE SOURCE SITES
E	SOURCE TYPE	WC = 18	WC = 32	WC = 100	Formula for Assigning Source WQ Values
1836-1-18300	N/A	≤100 lb	> 100 to 10,000 lb	> 10,000 lb	/b + 1
E > max - may 8	N/A	≤500,000 lb	> 500,000 to 50 million lb	>50 million Ib	16 + 5,000
	Landfill	≤6.75 million ft ³ ≤250,000 yd ³	> 6.75 million to 675 million ft ³ > 250,000 to 25 million yd ³	>675 million ft ³ >25 million yd ³	$tt^{9} + 67,500$ $yd^{9} + 2,500$
	Surface impoundment	≤6.750 ft³ ≤250 yd³	> 6,750 to 675,000 ft ² > 250 to 25,000 yd ²	> 675,000 ft ³ > 25,000 yd ³	$ft^3 + 67.5$ $yd^3 + 2.5$
V	Drums	≤1,000 drums	>1,000 to 100,000 drums	> 100,000 drums	drums + 10
0	Tanks and non- drum containers	≤50,000 gallons	> 50,000 to \$ million gallons	>5 million gallons	gallons + 500
M	Contaminated soil	≤6.75 million ft³ ≤250,000 yd³	>6.75 million to 675 million ft ³ >250,000 to 25 million yd ³	> 675 million ft ³ > 25 million yd ³	$ft^3 + 67,500$ $ya^3 + 2,500$
 	Pile	≤6,750 ft³ ≤250 yd³	> 6,750 to 875,000 ft ³ > 250 to 25,000 yd ³	> 675,000 ft ³ > 25,000 yd ³	$ft^3 + 67.5$ $yd^3 + 2.5$
<u> </u> 	Other	≤6,750 ft³ ≤250 yd³	>6,750 to 675,000 ft ² > 250 to 25,000 yd ³	> 675,000 ft ³ > 25,000 yd ³	$ft^3 + 67.5$ $ya^3 + 2.5$
	Landfill	≤340,000 ft ³ ≤7.8 scres	>340,000 to 34 million ft ³ >7.8 to 780 acres	> 34 million ft ² > 780 ecres	ft² + 3,400 acres + 0.078
	Surface impoundment	≤1,300 ft² ≤0.029 scree	>1,300 to 130,000 ft ³ >0.029 to 2.9 acree	>130,000 ft ² >2.9 scres	$ft^2 + 13$ acres + 0.00029
A	Contaminated soil	≤3.4 million ft³ ≤78 ecres	>3.4 million to 340 million ft ² >78 to 7,800 acres	>340 million ft ² >7,800 ecres	ft ² + 34,000. acres + 0.78
A	Pile*	≤1,300 ft² ≤0.029 acree	>1,300 to 130,000 ft ³ >0.029 to 2.9 scree	>130,000 ft ² >2.9 acres	$ft^2 + 13$ acres + 0.00029
	Land treatment	≾27,000 ft ³ ≤0.82 acres	> 27,000 to 2.7 million ft ³ > 0.62 to 62 acres	>2.7 million ft² >62 acres	ft ² + 270 acres + 0.0062

¹ ton = 2,000 lb = 1 yd3 = 4 drums = 200 gallone

PA Table 1b: WC Scores for Multiple Source Sites

[WQ Total	WC Soore
Γ	>0 to 100	19
1	> 100 to 10,000	32
	> 10,000	100

^{*} Use area of land surface under pile, not surface area of pile.

GROUND WATER PATHWAY

Ground Water Use Description: Provide information on ground water use in the vicinity. Present the general stratigraphy, aquifers used, and distribution of private and municipal wells.

Calculations for Drinking Water Populations Served by Ground Water: Provide populations from private wells and municipal supply systems in each distance category. Show apportionment calculations for blended supply systems.

GROUND WATER PATHWAY GROUND WATER USE DESCRIPTION

Describe Ground Water Use Within 4-miles of the Site:

(Describe stratigraphy, information on aquifers, municipal and/or private wells)

THERE IS VERY LITTLE GROUNDWATER USE IN THE IMMEDIATE AREA

OF THE SITE. WHAT USE THERE IS CONSISTS OF MAINLY

COMMERCIAL USE. AS THE AREA IS URBAN, MOST WATER IS

SUPPLIED THROUGH THE MUNICIPALITIES WHICH OBTAIN THEIR

WATER FROM THE CHATTA HOOCHEE RIVER.

Calculations	for Drinkin	Water	Populations	Served t	by Ground	Water:
--------------	-------------	-------	--------------------	----------	-----------	--------

SEE GEOLOGIC SURVEY REPORT IN APPENDIX

GROUND WATER PATHWAY CRITERIA LIST

This "Criteria List" helps guide the process of developing hypotheses concerning the occurrence of a suspected release and the exposure of specific targets to a hazardous substance. The check-boxes record your professional judgment in evaluating these factors. Answers to all of the listed questions may not be available during the PA. Also, the list is not all-inclusive; if other criteria help shape your hypotheses, list them at the bottom of the page or attach an additional page.

The "Suspected Release" section identifies several site, source, and pathway conditions that could provide insight as to whether a release from the site is likely to have occurred. If a release is suspected, use the "Primary Targets" section to evaluate conditions that may help identify targets likely to be exposed to a hazardous substance. Record responses for the well that you feel has the highest probability of being exposed to a hazardous substance. You may use this section of the chart more than once, depending on the number of targets you feel may be considered "primary."

Check the boxes to indicate a "yes," "no," or "unknown" answer to each question. If you check the "Suspected Release" box as "yes," make sure you assign a Likelihood of Release value of 550 for the pathway.

Site name: Date:

GROUND WATER PAT	HWAY CRITERIA LIST
SUSPECTED RELEASE	PRIMARY TARGETS
Y N U e o n s	Y N U e o n s k □ Is any drinking water well nearby? □ □ ☒ Has any nearby drinking water well been closed?
☐ ☐ Is waste quantity particularly large?	☐ ☐ Has any nearby drinking water user reported foul-tasting or foul-smelling water?
	□ □ □ □ Does any nearby well have a large drawdown or high production rate? □ □ □ □ Is any drinking water well located between the site and other wells that are suspected to be exposed to a hazardous substance? □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
Summarize the rationale for Suspected Release (attach en	Summarize the rationale for Primary Targets (attach an
additional page if necessary): TESTING OF G/W MONITORING WELLS INDICATE CONTAMINATION BY CHLOROBENZENE	additional page if necessary): NO PRIMARY TARGETS DUE TO DISTANCE (> I MILE) FROM SITE
·	

GROUND WATER PATHWAY SCORESHEET

Pathway Characteristics

Answer the questions at the top of the page. Refer to the Ground Water Pathway Criteria List (page 7) to hypothesize whether you suspect that a hazardous substance associated with the site has been released to ground water. Record depth to aquifer (in feet): the difference between the deepest occurrence of a hazardous substance and the depth of the top of the shallowest aquifer at (or as near as possible) to the site. Note whether the site is in karst terrain (characterized by abrupt ridges, sink holes, caverns, springs, disappearing streams). Record the distance (in feet) from any source to the nearest well used for drinking water.

Likelihood of Release (LR)

- 1. Suspected Release: Hypothesize based on professional judgment guided by the Ground Water Pathway Criteria List (page 7). If you suspect a release to ground water, use only Column A for this pathway and do not evaluate factor 2.
- 2. No Suspected Release: If you do not suspect a release, determine score based on depth to aquifer or whether the site is in an area of karst terrain. If you do not suspect a release to ground water, use only Column B to score this pathway.

Targets (T)

This factor category evaluates the threat to populations obtaining drinking water from ground water. To apportion populations served by blended drinking water supply systems, determine the percentage of population served by each well based on its production.

- 3. Primary Target Population: Evaluate populations served by all drinking water wells that you suspect have been exposed to a hazardous substance released from the site. Use professional judgment guided by the Ground Water Pathway Criteria List (page 7) to make this determination. In the space provided, enter the population served by any wells you suspect have been exposed to a hazardous substance from the site. If only the number of residences is known, use the average county residents per household (rounded up to the next integer) to determine population served. Multiply the population by 10 to determine the Primary Target Population score. Note that if you do not suspect a release, there can be no primary target population.
- 4. Secondary Target Population: Evaluate populations served by all drinking water wells within 4 miles that you do not suspect have been exposed to a hazardous substance. Use PA Table 2a or 2b (for wells drawing from non-karst and karst aquifers, respectfully) (page 9). If only the number of residences is known, use the average county residents per household (rounded to the nearest integer) to determine population served. Circle the assigned value for the population in each distance category and enter it in the column on the far-right side of the table. Sum the far-right column and enter the total as the Secondary Target Population factor score.
- 5. Nearest Well represents the threat posed to the drinking water well that is most likely to be exposed to a hazardous substance. If you have identified a primary target population, enter 50. Otherwise, assign the score from PA Table 2a or 2b for the closest distance category with a drinking water well population.
- 6. Wellhead Protection Area (WHPA): WHPAs are special areas designated by States for protection under Section 1428 of the Safe Drinking Water Act. Local/State and EPA Regional water officials can provide information regarding the location of WHPAs.
- 7. Resources: A score of 5 can generally be assigned as a default measure. Assign zero only if ground water within 4 miles has no resource use.

Sum the target scores in Column A (Suspected Release) or Column B (No Suspected Release).

Waste Characteristics (WC)

8. Waste Characteristics: Score is assigned from page 4. However, if you have identified any primary target for ground water, assign either the score calculated on page 4 or a score of 32, whichever is greater.

Ground Water Pathway Score: Multiply the scores for LR, T, and WC. Divide the product by 82,500. Round the result to the nearest integer. If the result is greater than 100, assign 100.

Site name: Date:

GROUND WATER PATHWAY SCORESHEET

	Pathway Characteristics		 -	
	Do you suspect a release (see Ground Water Pathway Criteria List, page 7)?	Yes	X No	
	Is the site located in karst terrain?	Yes	No <u>×</u>	
	Depth to aquifer: Distance to the nearest drinking water well:		-15_M	
	Distance to the hearest dimking water went.		- MILE	
	·	A	B	
UKELIHO	OOD OF RELEASE	Suspected Release	No Suspected Paleese	References
		(844)	// // // // // // // // // // // // //	7,070,000
	CTED RELEASE: If you suspect a release to ground water (see page 7), a score of 550. Use only column A for this pathway.	550		
	SPECTED RELEASE: If you do not suspect a release to ground water, and		1900 - 2001	
	e is in karst terrain or the depth to aquifer is 70 feet or less, assign a score is otherwise, assign a score of 340. Use only column B for this pathway,			
01 500	, otherwise, assign a score of 540. Use only column 5 for this pathway.	i		
	LR =	550		
TARGET	S			
3. PRIMA	RY TARGET POPULATION: Determine the number of people served by			
	g water wells that you suspect have been exposed to a hazardous			
substa	nce from the site (see Ground Water Pathway Criteria List, page 7).			
	people x 10 ==	0		
drinkin	IDARY TARGET POPULATION: Determine the number of people served by g water wells that you do NOT suspect have been exposed to a hazardous not from the site, and assign the total population score from PA Table 2.			
	Are any wells part of a blended system? Yes No	2	}	
	If yes, attach a page to show apportionment calculations.	3	(23.10.0.6.3.2, = 0)	
5. NEARE	ST WELL: If you have identified a primary target population for ground	(60,30,18.8,6,3.2, ar 0)	(PE10.5, E.S.E. 5 G	
	assign a score of 50; otherwise, assign the Nearest Well score from	5	1	
PA Tab	ole 2. If no drinking water wells exist within 4 miles, assign a score of zero.			
3 WELLH	IEAD PROTECTION AREA (WHPA): If any source lies within or above a WHPA,	(30. 6, ar 06	170, 6. ± 0.	
	bu have identified any primary target well within a WHPA, assign a score of 20;	0	1	
	5 if neither condition holds but a WHPA is present within 4 miles; otherwise			
assign	zero.	rs = di	(6 as Q)	
7. RESOU	IRCES	5	ŧ	
	Ţ	1.3	Ì	
WASTE (CHARACTERISTICS	(100 = 325		
8. A. If v	ou have identified any primary target for ground water, assign the waste	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	racteristics score calculated on page 4, or a score of 32, whichever is	0		
GRI	EATER; do not evaluate part B of this factor.	(100.32 + 10	100,32 e 191	•
B. If y	ou have NOT identified any primary target for ground water, assign the			
	ste characteristics score calculated on page 4.	32	. 1	
		2.0		
	WC =	32		
	•			
		(subject to a m	eximum of 1001	
GROUND	WATER PATHWAY SCORE: LR x T x WC	~ ~	·, [
	82,500	J 2. 1	<i>A</i> ,	
			اسم المستناد	
	1			

Page ___ of ___

PA TABLE 2: VALUES FOR SECONDARY GROUND WATER TARGET POPULATIONS

PA Table 2a: Non-Karst Aquifers

		Nearest			Рори	lation Ser	ved by W	ells With	n Distanc	e Categor	Υ		
Ì		Well	7	11	31	101	301	1,001	3,001	10,001	30,001	Greater	
Distance		(choose	to	to	to	te	to	to	to .	to	to	than	Population
from Site	Population	highest)	10	30	100	300	1,000	3,000	10,000	30,000	100,000	100,000	Vako
O to ¼ mile		20	1	2	5	16	52	163	521	1,633	5,214	16,325	. 0
> ¼ to ½ mile	0	18	1	1	3	10	32	101	323	1,012,	3,233	10,121	-0
> % to 1 mile	0_	9	1	1	2	5	17	52	167	522	1,668	5,224	0
>1 to 2 miles	2	(5)	1	1	1	3 .	9	29	94	294	939	2,938	
> 2 to 3 miles	2	3.	1	1	1	2	7	21	68	212	678	2,122	
> 3 to 4 miles		2	1	1	1	1	4	13	42	131	417	1,306	
	Nearest Well =	5									:	Score =	3

PA Table 2b: Karst Aquifers


		Nearest	Population Served by Wells Within Distance Category										
	1	Well	1	77 .	31	101	301	1,001	3,001	10,001	30,001	Greater	}
Distance	•	(use 20	· to	to	to	to	10	to	to	to	to	then	Population
from Site	Population	for karst)	10	30	100	300	1,000	3,000	10,000	30,000	100,000	100,000	Value
O to ¼ mile		20	1	2	5	16.	52	163	521	1,633	5,214	16,325	
>% to % mile		20	1	1 1	3	10	32	101	323	1,012	3,233	10,121	:
> 1/4 to 1 mile		20	1	1	3	8	26	82	261	816	2,607	8,162	<u> </u>
>1 to 2 miles		20	1	1	3	8	26	82	261	816	2,607	8,162	ļ . — —
> 2 to 3 miles		20	1	1	3	8	26	82	261	816	2,607	8,162	·
>3 to 4 miles		20	1	1	3	8	26	82	261	816	2,607	8,162	
	Vearest Well -	N/A				-	-				\$	Score =	NA

SURFACE WATER PATHWAY

Migration Route Sketch: Sketch the surface water migration pathway (freehand is acceptable) illustrating the drainage route and identifying water bodies, probable point of entry, flows, and targets.

SURFACE WATER PATHWAY MIGRATION ROUTE SKETCH

and sensitive environments) Suface Water Migration Route Sketch: (include runoff route, probable point of entry, 15-mile target distance limit, intakes, fisheries,



Page ___ of

SURFACE WATER PATHWAY CRITERIA LIST

This "Criteria List" helps guide the process of developing hypotheses concerning the occurrence of a suspected release and the exposure of specific targets to a hazardous substance. The check-boxes record your professional judgment in evaluating these factors. Answers to all of the listed questions may not be available during the PA. Also, the list is not all-inclusive; if other criteria help shape your hypotheses, list them at the bottom of the page or attach an additional page.

The "Suspected Release" section identifies several site, source, and pathway conditions that could provide insight as to whether a release from the site is likely to have occurred. If a release is suspected, use the "Primary Targets" section to guide you through evaluation of some conditions that may help identify targets likely to be exposed to a hazardous substance. Record responses for the target that you feel has the highest probability of being exposed to a hazardous substance. You may use this section of the chart more than once, depending on the number of targets you feel may be considered "primary."

Check the boxes to indicate a "yes," "no," or "unknown" answer to each question. If you check the "Suspected Release" box as "yes," make sure you assign a Likelihood of Release value of 550 for the pathway.

If the distance to surface water is greater than 2 miles, do not evaluate the surface water migration pathway. Document the source of information in the text boxes below the surface water criteria list.

Site name: Date:

SURFACE WATER PAT	HWAY CRITERIA LIST
SUSPECTED RELEASE	PRIMARY TARGETS
Y N U e o n g / k ⊠ □ □ Is surface water nearby?	Y N U e o n s k X □ □ Is any target nearby? If yes:
Is waste quantity particularly large? ☑ □ □ Is the drainage area large?	□ Drinking water intake ☑ Fishery ☑ Sensitive environment
□ □ Is rainfall heavy? □ □ □ Is the infiltration rate low?	☐ ★ ☐ Has any intake, fishery, or recreational area been closed?
☐ Are sources poorly contained or prone to runoff or flooding?	□ □ X Does analytical or circumstantial evidence suggest surface water contamination at or downstream of a target?
Is a runoff route well defined (e.g., ditch or channel leading to surface water)?	☐ Does any target warrant sampling? If yes:
☐ Is vegetation stressed along the probable run- off route?	X Fishery X Sensitive environment
CI X are sediments or water unnaturally discolored?	Other criteria?
CI X Is wildlife unnaturally absent?	PRIMARY INTAKE(S) IDENTIFIED? NONE
Cl. 🕱 🗆 Has deposition of waste into surface water been observed?	PRIMARY FISHERY (IES) IDENTIFIED? CHATTAHOOCHEE RIVER PRIMARY SENSITIVE ENVIRONMENT(S)
	IDENTIFIED? CHATTAHOOCHEE RIVER
Does analytical or circumstantial evidence suggest surface water contamination?	
[] X Other criteria?	·
類 □ SUSPECTED RELEASE?	
Summarize the rationale for Suspected Release (attach an additional page if necessary):	Summarize the rationale for Primary Targets (attach an additional page if necessary):
A RELEASE TO SURFACE WATERS	THE GOOD CHATTA HOOCHEE RIVER
VIA SURFACE WATER PATHWAYS	IS DOWNGRADIENT OF THE
IS NOT INDICATED.	SITE AND WIS THE NORTHERN
OF GREATER CONCERN IS	BURDER BORDER OF THE SITE.
THE POTENTIAL OF GROUND WATER	
CONTAMIN ATTON TO AFFECT	
SURFACE WATERS.	
en e	

SURFACE WATER PATHWAY LIKELIHOOD OF RELEASE AND DRINKING WATER THREAT SCORESHEET

Pathway Characteristics

The surface water pathway includes three threats: Drinking Water Threat, Human Food Chain Threat, and Environmental Threat. Answer the questions at the top of the page. Refer to the Surface Water Pathway Criteria List (page 11) to hypothesize whether you suspect that a hazardous substance associated with the site has been released to surface water. Record the distance to surface water (the shortest overland drainage distance from a source to a surface water body). Record the flood frequency at the site (e.g., 100-yr, 200-yr). If the site is located in more than one floodplain, use the most frequent flooding event. Identify surface water use(s) along the surface water migration path and their distance(s) from the site.

Likelihood of Release (LR)

- 1. Suspected Release: Hypothesize based on professional judgment guided by the Surface Water Pathway Criteria List (page 11). If you suspect a release to surface water, use only Column A for this pathway and do not evaluate factor 2.
- 2. No Suspected Release: If you do not suspect a release, determine score based on the shortest overland drainage distance from a source to a surface water body. If distance to surface water is 2,500 feet or less, assign a score of 500. If distance to surface water is greater than 2,500 feet, determine score based on flood frequency. If you do not suspect a release to surface water, use only Column B to score this pathway.

Drinking Water Threat Targets (T)

- 3. List all drinking water intakes on downstream surface water bodies along the surface water migration path. Record the intake name, the type of water body on which the intake is located, the flow of the water body, and the number of people served by the intake (apportion the population if part of a blended system).
- 4. Primary Target Population: Evaluate populations served by all drinking water intakes that you suspect have been exposed to a hazardous substance released from the site. Use professional judgment guided by the Surface Water Pathway Criteria List (page 11) to make this determination. In the space provided, enter the population served by all intakes you suspect have been exposed to a hazardous substance from the site. If only the number of residences is known, use the average county residents per household (rounded up to the next integer) to determine population served. Multiply by 10 to determine the Primary Target Population score. Remember, if you do not suspect a release, there can be no primary target population.
- 5. Secondary Target Population: Evaluate populations served by all drinking water intakes within the target distance limit that you do not suspect have been exposed to a hazardous substance. Use PA Table 3 (page 1,3) and enter the population served by intakes for each flow category. If only the number of residences is known, use the average county residents per household (rounded to the nearest integer) to determine population served. Circle the assigned value for the population in each flow category and enter it in the column on the far-right side of the table. Sum the far-right column and enter the total as the Secondary Target Population factor score.

Gauging station data for many surface water bodies are available from USGS or other sources. In the absence of gauging station data, estimate flow using the list of surface water body types and associated flow categories in PA Table 4 (page 13). The flow for lakes is determined by the sum of flows of streams entering or leaving the lake. Note that the flow category "mixing zone of quiet flowing rivers" is limited to 3 miles from the probable point of entry.

- 6. Nearest Intake represents the threat posed to the drinking water intake that is most likely to be exposed to a hazardous substance. If you have identified a primary target population, enter 50. Otherwise, assign the score from PA Table 3 (page 13) for the lowest-flowing water body on which there is an intake.
- 7. Resources: A score of 5 can generally be assigned as a default measure. Assign zero only if surface water within the target distance limit has no resource use.

Sum the target scores in Column A (Suspected Release) or Column B (No Suspected Release).

Site name: Date:

SURFACE WATER PATHWAY LIKELIHOOD OF RELEASE AND DRINKING WATER THREAT SCORESHEET

Pathway Characteristics

	Do you suspect a release (see Surface Water P Distance to surface water: Flood frequency: What is the downstream distance to the neares Nearest fishery?	st grinking water intake?	>15°	_miles	<u> </u>	
	•			A	B	
LII	KELIHOOD OF RELEASE	•		Suspected Release	No Suspected Release	References
	SUSPECTED RELEASE: If you suspect a release to sur	face water (see 2200 11)	`	1560)		
١.	assign a score of 550. Use only column A for this pat		1.	550		
2.	NO SUSPECTED RELEASE: If you do not suspect a reliwater, use the table below to assign a score based on water and flood frequency. Use only column 8 for this	distance to surface			(900 ecg 300 w 100)	
	Distance to surface water ≤ 2,500 feet	500				
	Distance to surface water > 2,500 feet, and				1	
•	Site in annual or 10-year floodplain	500				
	Site in 100-year floodplain	400			l i	
	Site in 500-year floodplain Site outside 500-year floodplain	100			i	
	Site outside 500-year rioudplain	100			ł	
				:580)	(\$00,400,300 ± 100)	
			LR =	550	}	•
	RECORD THE WATER THREAT TARGETS Record the water body type, flow (if applicable), and not by each drinking water intake within the target distance drinking water intake within the target distance limit, for each receive zero scores.	e limit. If there is no	-			
	Intake Name Water Body Type	Flow People Serv	red			
	NONE	cf s				
		cfs	_			
		cfs	_			
4	PRIMARY TARGET POPULATION: If you suspect any above has been exposed to a hazardous substance from Pathway Criteria List, page 11), list the intake name(s) score based on the total population served. NON E	drinking water intake lists in the site (see Surface W	Vater			
		people x	x 10 ≈	_0		
5.	SECONDARY TARGET POPULATION: Determine the drinking water intakes that you do NOT suspect have bubstance from the site, and assign the total population	een exposed to a hazard	lous			
	Are any intakes part of a blended system? Y			190,20,10.2;1, = 0	(20,10,2.1, as OI	
6.	NEAREST INTAKE: If you have identified a primary tar drinking water threat (factor 4), assign a score of 50; of Nearest Intake score from PA Table 3. If no drinking with target distance limit, assign a score of zero.	otherwise, assign the		0		
	the target distance limit, assign a score of zero.			10 - 01	18 4 01	
7.	RESOURCES			_5		
	•		_	15		

PA TABLE 3: VALUES FOR SECONDARY SURFACE WATER TARGET POPULATIONS

		Nearest			Population Served by Intakes Within Flow Category									
Surface Water	1	Intake	1	31	101	301	1,001	3,001	10,001	30,001	100,001	300,001	Greater	
Body Flow		(choose	lo	te	· · to	to	to	to	₩	60	to	₩	than	Population
(see PA Table 4)	Population	highest)	30	100	300	1,000	3,000	10,000	30,000	100,000	300,000	1,000,000	1,000,000	Value
< 10 cfs	0	20	2	5	16	52	163	521	1,633	5,214	16,325	52,136	163,246	
10 to 100 cfs	0	2	1	1	2	5	16	52	163	521	1,633	5,214	16,325	0
> 100 to 1,000 cfs	<u>O</u> .	1	o	٥	,	3	2	5	16	52	163	:521	1,633	_0_
> 1,000 to 10,000 cfs	O	٥	0	٥	0	o	1	1	2	5	16	52	163	0
> 10,000 cfs or Great Lakes		0	0	o	o	o	o	o	1	1	2	5	16	0_
3-mile Mixing Zone		10	1	3	8	26	82	261	816	2,607	8,162	28,068	81,663	
Neare	est Intake =	NONE							•				Score =	0

PA TABLE 4: SURFACE WATER TYPE / FLOW CHARACTERISTICS WITH DILUTION WEIGHTS FOR SECONDARY SURFACE WATER SENSITIVE ENVIRONMENTS

Type of S	iuriaca W	ater Body	Dilution
: Water Body Type	OR	Flow	Weight
minimal stream		< 10 cfs	1
small to moderate stream		10 to 100 cfs	0.1
moderate to large stream		> 100 to 1,000 cfs	N/A
large stream to river		> 1,000 to 10,000 cfs	N/A
larga river		> 10,000 cts	N/A
3-mile mixing zone of			
quiet flowing streams or rivers		10 cfs or greater	N/A
coastal tidal water (harbors,			
sounds, bays, etc.), ocean,		- N/A	N/A
or Great Lakes		and the second s	

SURFACE WATER PATHWAY HUMAN FOOD CHAIN THREAT SCORESHEET

Likelihood of Release (LR)

LR is the same for all surface water pathway threats. Enter LR score from page 12.

Human Food Chain Threat Targets (T)

8. The only human food chain targets are fisheries. A <u>fishery</u> is an area of a surface water body from which food chain organisms are taken or could be taken for human consumption on a subsistence, sporting, or commercial basis. Food chain organisms include fish, shellfish, crustaceans, amphibians, and amphibious reptiles. Fisheries are delineated by changes in surface water body type (i.e., streams and rivers, lakes, coastal tidal waters, and oceans/Great Lakes) and whenever the flow characteristics of a stream or river change.

In the space provided, identify all fisheries within the target distance limit. Indicate the surface water body type and flow for each fishery. Gauging station flow data are available for many surface water bodies from USGS or other sources. In the absence of gauging station data, estimate flow using the list of surface water body types and associated flow categories in PA Table 4 (page 13). The flow for lakes is determined by the sum of flows of streams entering or leaving the lake. Note that, if there are no fisheries within the target distance limit, the Human Food Chain Threat Targets score is zero.

- 9. Primary fisheries are any fisheries within the target distance limit that you suspect have been exposed to a hazardous substance released from the site. Use professional judgment guided by the Surface Water Pathway Criteria List (page 11) to make this determination. If you identify any primary fisheries, list them in the space provided, enter 300 as the Primary Fisheries factor score, and do not evaluate Secondary Fisheries. Note that if you do not suspect a release, there can be no primary fisheries.
- 10. Secondary fisheries are fisheries that you do not suspect have been exposed to a hazardous substance. Evaluate this factor only if fisheries are present within the target distance limit, but none is considered a primary fishery.
- A. If you suspect a release to surface water and have identified a secondary fishery but no primary fishery, assign a score of 210.
- B. If you do not suspect a release, evaluate this factor based on flow. In the absence of gauging station flow data, estimate flow using the list of surface water body types and associated flow categories in PA Table 4 (page 13). Assign a Secondary Fisheries score from the table on the scoresheet using the lowest flow at any fishery within the target distance limit. (Dilution weight multiplier does not apply to PA evaluation of this factor.)

Sum the target scores in Column A (Suspected Release) or Column B (No Suspected Release).

SURFACE WATER PATHWAY (continued) HUMAN FOOD CHAIN THREAT SCORESHEET

			A		
			Suspected	No Suspected	
	KELIHOOD OF RELEASE	·	Release	Release	Reference
En	ter Sulface Water Likelihood of Release sco	re from page 12. LR =	550	1100,400,300 ii 100j	
Н	UMAN FOOD CHAIN THREAT TARGE	ETS	•		
8.	Record the water body type and flow (if a the target distance limit. If there is no fis distance limit, assign a Targets score of O	hery within the target	:		
	Fishery Name	Water Body Type Row	:	:	,
	CHATTAHOOCHEE RIVER	RIVER ~3000 cfs	:		
	\	cfs			_
	\ 	cfs			
		cfs			
		cfs	1300		
9.	PRIMARY FISHERIES: If you suspect any to a hazardous substance from the site (so assign a score of 300 and do not evaluate	ee Surface Water Criteria List, page 11),			
	CHAMAHOOCHEE RIVER		300		
		 ,	1210		
10	. SECONDARY FISHERIES			!	- .
A	. If you suspect a release to surface water	and have identified a secondary fishery			
	but no primary fishery, assign a score of 2	210.	0		
8	. If you do not suspect a release, assign a S	Secondary Fisheries score from the table		(210.20, = 12)	
	below using the lowest flow at any fisher	y within the target distance limit.	:		
	Lowest Row	Secondary Fisheries Score			
	< 10 cfs	210	:		
	10 to 100 cfs	30	1		
	> 100 cfs, coastal				
	tidal waters, oceans,	12			
	1	ı			l

300

And the second second

SURFACE WATER PATHWAY ENVIRONMENTAL THREAT SCORESHEET

Likelihood of Release (LR)

LR is the same for all surface water pathway threats. Enter LR score from page 12.

Environmental Threat Targets (T)

- 11. PA Table 5 (page 16) lists sensitive environments for the Surface Water Pathway Environmental Threat. In the space provided, identify all sensitive environments located within the target distance limit. Indicate the surface water body type and flow at each sensitive environment. Gauging station flow data for many surface water bodies are available from USGS or other sources. In the absence of gauging station data, estimate flow using the list of surface water body types and associated flow categories in PA Table 4 (page 13). The flow for lakes is determined by the sum of flows of streams entering or leaving the lake. Note that if there are no sensitive environments within the target distance limit, the Environmental Threat Targets score is zero.
- 12. Primary sensitive environments are surface water sensitive environments within the target distance limit that you suspect have been exposed to a hazardous substance released from the site. Use professional judgment guided by the Surface Water Pathway Criteria List (page 11) to make this determination. If you identify any primary sensitive environments, list them in the space provided, enter 300 as the Primary Sensitive Environments factor score, and do not evaluate Secondary Sensitive Environments. Note that if you do not suspect a release, there can be no primary sensitive environments.
- 13. Secondary sensitive environments are surface water sensitive environments that you do not suspect have been exposed to a hazardous substance. Evaluate this factor only if surface water sensitive environments are present within the target distance limit, but none is considered a primary sensitive environment. Evaluate secondary sensitive environments based on flow.
 - In the table provided, list all secondary sensitive environments on surface water bodies with flow of 100 cfs or less.
 - 1) Use PA Table 4 (page 13) to determine the appropriate dilution weight for each.
 - 2) Use PA Tables 5 and 6 (page 16) to determine the appropriate value for each sensitive environment type and for wetlands frontage.
 - 3) For a sensitive environment that falls into more than one of the categories in PA Table 5, sum the values for each type to determine the environment value (e.g., a wetland with 1.5 miles frontage (value of 50) that is also a critical habitat for a Federally designated endangered species (value of 100) would receive a total value of 150).
 - 4) For each sensitive environment, multiply the dilution weight by the environment type (or length of wetlands) value and record the product in the far-right column.
 - 5) Sum the values in the far-right column and enter the total as the Secondary Sensitive Environments score. Do not evaluate part B of this factor.
 - If all secondary sensitive environments are on surface water bodies with flows greater than 100 cfs, assign 10 as the Secondary Sensitive Environments score.

Sum the target scores in Column A (Suspected Release) or Column B (No Suspected Release).

SURFACE WATER PATHWAY (continued) ENVIRONMENTAL THREAT SCORESHEET

					A	8	
LII	KELIHOOD OF RE	LEASE			Suspected Release	No Suspected	References
		elihood of Release sco	re from page 12	LR =	1440	(900,400,300 + 100)	
-		CIII COO OT NEICESSE SCUI	e nom page 12.		550	<u></u>	
EN	NIRONMENTAL	THREAT TARGETS		·			
11.		and the second s	pplicable) for each surface v				
			stance limit (see PA Tables on within the target distance				
	limit, assign a Targ	ets score of 0 at the b	ottom of the page.				
	Environment Name		Water Body Type	Flow			
	CHATTAHOO	CHEE RIVER	RIVER ~3	000 ds			
	ļ	<u> </u>		cfs			
	l			cfs	:		
				cfs	. ;		
	(<u></u>			cfs			
13.	SECONDARY SENS present, but none is Sensitive Environm A. For secondary s	s a primary sensitive elents based on flow. Sensitive environments	5: If sensitive environments nvironment, evaluate Second on surface water bodies with ws, and do not evaluate part	ary	300		
	Row	(PA Table 4)	(PA Tables 5 and 6)	Total		1	İ
	cfs	x				1	
	cfs	x			1	1	
	cfs	x	<u> </u>		1	1	
	cfs	x			}	1	}
	cfs	x			1 ^		
				Sum =	100	1)@	
	•		s are located on surface wat	er bodies		1	
	with flows > 10	00 cfs, assign a score	of IV.	·	0	<u> </u>	
				T =	300		
				,	200		J

PA TABLE 5: SURFACE WATER AND AIR PATHWAY SENSITIVE ENVIRONMENTS VALUES

Sensitive Environment	Assigned Value
Critical habitat for Fedorally designated endangered or threatened species	100
Murine Sanctuary	
National Park	1
Designated Federal Wilderness Area	
Ecologically important areas identified under the Coastel Zone Wilderness Act	•
Sensitive Areas identified under the National Estuary Program or Near Coastal Water Program of the Clean W	eter Act
Critical Areas Identified under the Clean Lakes Program of the Clean Water Act (subareas in lakes or entire si	
National Monument (air pathway only)	
National Seashore Recreation Area	
National Lakeshore Recreation Area	
Habitat known to be used by Federally designated or proposed endangered or threatened species	75
National Preserve	
National or State Wildlife Refuge	**
Urat of Coastal Barrier Resources System	
Federal land designated for the protection of natural ecosystems	
Administratively Proposed Federal Wilderness Area	
Spawning areas critical for the maintenance of fish/shellfish species within a river system, bay, or estuary	
Migretory pathways and feeding areas critical for the maintenance of anadromous fish species in a river syste	em
Terrestrial areas utilized for breeding by large or dense aggregations of vertebrate animals (air pathway) or	
semi-aquatic foragets (surface water pathway)	
National river reach designated as Recreational	
dibitat known to be used by State designated andangered or threatened species	50
Hibitat known to be used by a species under review as to its Federal endangered or threatened status	:
Crastal Barrier (partially developed)	
Federally designated Scenic or Wild River	
State land designated for wildlife or game menagement	25
State designated Scenic or Wild River	
State designated Natural Area	
sirticular areas, relatively small in size, important to maintenance of unique biotic communities	
State designated areas for protection/maintenance of aquatic life under the Clean Water Act	5
See PA Table 6 (Surface Water Pathway
Wattands	or
PA Table	9 (Air Pathway)

PA TABLE 6: SURFACE WATER PATHWAY WETLANDS FRONTAGE VALUES

Total Langth of Watlands	Assigned Value
Less than 0.1 mile	0
O.1 to 1 mile	25
Greater than 1 to 2 miles	50
Greater than 2 to 3 miles	· 75
Greater than 3 to 4 miles	100
Greater than 4 to 8 miles	150
Greater than 8 to 12 miles	250-
Greater than 12 to 16 miles	350
Greater than 16 to 20 miles	450
Greater than 20 miles	500

SURFACE WATER PATHWAY WASTE CHARACTERISTICS, THREAT, AND PATHWAY SCORES

Waste Characteristics (WC)

14. Waste Characteristics: Score is assigned from page 4. However, if a primary target has been identified for any surface water threat, assign either the score calculated on page 4 or a score of 32, whichever is greater.

Surface Water Pathway Threat Scores

Fill in the matrix with the appropriate scores from the previous pages. To calculate the score for each threat: multiply the scores for LR, T, and WC; divide the product by 82,500; and round the result to the nearest integer. The Drinking Water Threat and Human Food Chain Threat are each subject to a maximum of 100. The Environmental Threat is subject to a maximum of 60. Enter the rounded threat scores in the far-right column.

Surface Water Pathway Score

Sum the individual threat scores to determine the Surface Water Pathway Score. If the sum is greater than 100, assign 100.

SURFACE WATER PATHWAY (concluded) WASTE CHARACTERISTICS, THREAT, AND PATHWAY SCORE SUMMARY

	A	8
	Suspected	No Suspenten
WASTE CHARACTERISTICS	Release	Release
	[100 = 32]	
4. A. If you have identified any primary target for surface water (pages 12, 14,	}	
or 15), assign the waste characteristics score calculated on page 4, or a score	20	
of 32, whichever is GREATER; do not evaluate part B of this factor.	32	
	(100,33, ar 18)	(190,32, ar 181
B. If you have NOT identified any primary target for surface water, assign the		1 .
waste characteristics score calculated on page 4.	2	
		<u> </u>
10.00	1 22.	[
WC -		<u> </u>

SURFACE WATER PATHWAY THREAT SCORES

Threat	Likelihood of Release (LR) Score (from page 12)	Tergets (T) Score (pages 12, 14, 15)	Pathway Waste Characteristics (WC) Score (determined above)	Threat Score LR x T x WC / 82,500
Drinking Water	550	5	32	(militate to a materium of 100)
Human Food Chain	550	300	32	limitation to a management of 1009
Environmental	550	300	32	(autique to a manamum er 80)

	(Avidual to a materium of 100
SURFACE WATER PATHWAY SCORE]
Drinking Water Threat + Human Food Chain Threat + Environmental Threat)	100

SOIL EXPOSURE PATHWAY CRITERIA LIST

Areas of surficial contamination can generally be assumed. This "Criteria List" helps guide the process of developing a hypothesis concerning the exposure of specific targets to a hazardous substance at the site. Use the "Resident Population" section to evaluate site and source conditions that may help identify targets likely to be exposed to a hazardous substance. The check-boxes record your professional judgment. Answers to all of the listed questions may not be available during the PA. Also, the list is not all-inclusive; if other criteria help shape your hypothesis, list them at the bottom of the page or attach an additional page.

Check the boxes to indicate a "yes," "no," or "unknown" answer to each question.

SOUPEGIED CONTA	MINATION	RESIDENT POPULATION	
		YNU	
		eon	
·		s k S S Is any residence, school, or daycare facile or within 200 feet of an area of suspects contamination?	
Surficial contamination can ge	nerally be assumed.	☐ ☒ ☐ Is any residence, school, or daycare facil located on adjacent land previously owner leased by the site owner/operator?	
	*	☐ ☐ Is there a migration route that might spre hazardous substances near residences, schools, or daycare facilities?	ad
		☐ ☒ ☐ Have onsite or adjacent residents or stud reported adverse health effects, exclusive apparent drinking water or air contaminal problems?	e of
4.	;	□ ▼ □ Does any neighboring property warrant sampling?	
€.		Other criteria?	
• 4		RESIDENT POPULATION IDENTIFIED?	:
nmarize the rationale for Resider	or Population (attach en	additional page if page graph.	
DISTANCE	AREA (MIL		
0-14 MILE	. 1963	31-100 WORKERS (NO RESIDENCES))
1/4 - 1/2 MILE	.5896	~766	
		n 3063	
1/2-1 MILE	2,3562	3063	
1/2-1 MILE 12-2 MILE	2.3562 9.4248	~12,252	
, -			
1 - 2 MILE	9.4248	~12,252 ~20,420 ~28,589	. 74
12 MILE 2-3 MILE 3-4 MILE	9.4248 15.7080 21.9911	~12,252 ~20,420	
COBB COUNTY	9.4248 15.7080 21.9911 POPULATION	~ 12,252 ~ 20,420 ~ 28,589 - POPULATION ARE	MILE

.

.

SOIL EXPOSURE PATHWAY SCORESHEET

Pathway Characteristics

Answer the questions at the top of the page. Identify people who may be exposed to a hazardous substance because they work at the facility, or reside or attend school or daycare on or within 200 feet of an area of suspected contamination. If the site is active, estimate the number of full and part-time workers. Note that evaluation of targets is based on current site conditions.

Likelihood of Exposure (LE)

1. Suspected Contamination: Areas of surficial contamination are present at most sites, and a score of 550 can generally be assigned as a default measure. Assign zero, which effectively eliminates the pathway from further consideration, only if there is no surficial contamination; reliable analytical data are generally necessary to make this determination.

Resident Population Threat Targets (T)

- 2. Resident Population corresponds to "primary targets" for the migration pathways. Use professional judgment guided by the Soil Exposure Pathway Criteria List (page 18) to determine if there are people living or attending school or daycare on or within 200 feet of areas of suspected contamination. Record the number of people identified as resident population and multiply by 10 to determine the Resident Population factor score.
- 3. Resident Individual: Assign 50 if you have identified a resident population; otherwise, assign zero.
- 4. Workers: Estimate the number of full and part-time workers at this facility and adjacent facilities where contamination is also suspected. Assign a score for the Workers factor from the table.
- 5. Terrestrial Sensitive Environments: In the table provided, list each terrestrial sensitive environment located on an area of suspected contamination. Use PA Table 7 (page 20) to assign a value for each. Sum the values and assign the total as the factor score.
- 6. Resources: A score of 5 can generally be assigned as a default measure. Assign zero only if there is no land resource use on an area of suspected contamination.

Sum the target scores.

Waste Characteristics (WC)

7. Enter the WC score determined on page 4.

Resident Population Threat Score: Multiply the scores for LE, T, and WC. Divide the product by 82,500. Round the result to the nearest integer. If the result is greater than 100, assign 100.

Nearby Population Threat Score: Do not evaluate this threat if you gave a zero score to Likelihood of Exposure. Otherwise, assign a score based on the population within a 1-mile radius (use the same 1-mile radius population you evaluate for air pathway population targets):

Population Within One Mile	Nearby Population Threat Score
< 10,000	1
10,000 to 50,000	2
>50,000	4

Soil Exposure Pathway Score: Sum the Resident Population Threat score and the Nearby Population Threat score, subject to a maximum of 100.

SOIL EXPOSURE PATHWAY SCORESHEET

	Pathway Characteristics			7
	Do any people live on or within 200 ft of areas of suspected contamination?	Yes	No X	1
	Do any people attend school or daycare on or within 200 ft of areas of suspected contamination?	Vaa	No X	
	Is the facility active? Yes X No If yes, estimate the number of workers:		140	1
				_
		Suspected		
LII	ELIHOOD OF EXPOSURE	Contemination	-	References
1.	SUSPECTED CONTAMINATION: Surficial contamination can generally be assumed, and a score of 550 assigned. Assign zero only if the absence of surficial			
	contamination can be confidently demonstrated.	- 0	1	
RE	SIDENT POPULATION THREAT TARGETS			
	RESIDENT POPULATION: Determine the number of people occupying residences		7	
•	or attending school or daycare on or within 200 feet of areas of suspected	Į	}	
	contamination (see Soil Exposure Pathway Criteria List, page 18).		}	
	people x 10 =	180 = 0	{	<u>·</u>
3.	RESIDENT INDIVIDUAL: If you have identified a resident population (factor 2),		1	
	assign a score of 50; otherwise, assign a score of 0.	116, 10, 6, -0	{	
4.	WORKERS: Use the following table to assign a score based on the total number of		-	
	workers at the facility and nearby facilities with suspected contamination:	}	1	
	Number of Workers Score	}		
	0 0 1 to 100 5	i	[
	101 to 1,000 10			
	> 1,000	5		
5.	TERRESTRIAL SENSITIVE ENVIRONMENTS: Use PA Table 7 to assign a value	•		
	for each terrestrial sensitive environment on an area of suspected	1]	
	contamination:		l	
	Terrestrial Sensitive Environment Type Value		1	
	NONE]		
	Sum =			
_		15 - 01	7	
€.	RESOURCES	5		
			7	
	7 =	10		
14	ASTE CHARACTERISTICS	<u> </u>	~	
٠, .	Assign the waste characteristics score calculated on page 4. WC =	(100, 32, a-10)	1	
١.	Assign the waste characteristics score calculated on page 4.	32	_}	•
RF	SIDENT POPULATION THREAT SCORE: LE X T X WC	(-Appel to a or 100	'	
-	82,500	0.3)	
		L		
NE	ARBY POPULATION THREAT SCORE:	(4, 2, 4)	7	
		(name to a contract of 100	.	
	NL EXPOSURE PATHWAY SCORE:	172		
Re	sident Population Threat + Nearby Population Threat		J	•

PA TABLE 7: SOIL EXPOSURE PATHWAY TERRESTRIAL SENSITIVE ENVIRONMENT VALUES

Torrestrial Sensitive Environment	Assigned Value
Terrestrial critical habitat for Federally designated endangered or threatened species	100
National Park	
Designated Federal Wilderness Area	
National Monument	
Terrestrial habitat known to be used by Federally designated or proposed threatened or endangered species	75
National Preserve (terrestrial)	
National or State terrestrial Wildlife Refuge	
Federal land designated for protection of natural ecosystems	
Administratively proposed Federal Wilderness Area	
Terrestrial areas utilized by large or dense aggregations of animals (vertebrate species) for breeding	
Terrestrial habitat used by State designated endangered or threatened species	50
Terrestrial habitat used by species under review for Federal designated endangered or threatened status	
State lands designated for wildlife or game management	25
State designated Natural Areas	
Particular areas, relatively small in size, important to maintenance of unique biotic communities	_

AIR PATHWAY CRITERIA LIST

This "Criteria List" helps guide the process of developing a hypothesis as to whether a release to the air is likely to be detected. The check-boxes record your professional judgment. Answers to all of the listed questions may not be available during the PA. Also, the list is not all-inclusive; if other criteria help shape your hypothesis, list them at the bottom of the page or attach an additional page.

The "Suspected Release" section identifies several conditions that could provide insight as to whether a release from the site is likely to be detected. If a release is suspected, primary targets are any residents, workers, students, and sensitive environments on or within ¼ mile of the site.

Check the boxes to indicate a "yes," "no," or "unknown" answer to each question. If you check the "Suspected Release" box as "yes," make sure you assign a Likelihood of Release value of 550 for the pathway.

	AIR PATHWAY CRITERIA LIST								
			SUSPECTED RELEASE	, PRIMARY TARGETS					
Y	N	U							
; X	×	. k	Are odors currently reported? PREVIOUS ODOR COMPLAINTS Has release of a hazardous substance to the air	If you guesset a taloggé to air evaluate all populations and					
	0	×	been directly observed? YES, FLAKE INSTALLED TO MANAGE Are there reports of adverse health effects (e.g., headaches, nauses, dizziness) potentially resulting from migration of hazardous substances through the air?	If you suspect a release to air, evaluate all populations and sensitive environments within 1/4 mile (including those onsite) as primary targets.					
×			Does analytical or circumstantial evidence suggest a release to the air?						
/		٠	Other criteria? FLARE INSTALLED						
D .			SUSPECTED RELEASE?						

Summarize the rationale for Suspected Release (attach an additional page if necessary):

WELLS. SANIFILL HAS SINCE INSTALLED AND IS OPERATING A FLARE TO MANAGE THE METHANE AND OTHER LANDFILL GASES.

THEREFORE, ALTHOUGH THERE ARE RELEASES, THEY ARE
BEING CONTROLLED AND THERE ARE NO PRIMARY TARGETS

JUST SECONDARY TARGETS.

METHANE LEVELS OF 100% LEL WERE HEASURED IN MODITORING

AIR PATHWAY SCORESHEET

Pathway Characteristics

Answer the questions at the top of the page. Refer to the Air Pathway Criteria List (page 21) to hypothesize whether you suspect that a hazardous substance release to the air could be detected. Due to dispersion, releases to air are not as persistent as releases to water migration pathways and are much more difficult to detect. Develop your hypothesis concerning the release of hazardous substances to air based on "real time" considerations. Record the distance (in feet) from any source to the nearest regularly occupied building.

Likelihood of Release (LR)

- 1. Suspected Release: Hypothesize based on professional judgment guided by the Air Pathway Criteria List (page 21). If you suspect a release to air, use only Column A for this pathway and do not evaluate factor 2.
- 2. No Suspected Release: If you do not suspect a release, enter 500 and use only Column B for this pathway.

Targets (T)

- 3. Primary Target Population: Evaluate populations subject to exposure from release of a hazardous substance from the site. If you suspect a release, the resident, student, and worker populations on and within ¼ mile of the site are considered primary target population. If only the number of residences is known, use the average county residents per household (rounded up to the next integer) to determine the population. In the space provided, enter this population. Multiply the population by 10 to determine the Primary Target Population score. Note that if you do not suspect a release, there can be no primary target population.
- 4. Secondary Target Population: Evaluate populations in distance categories not suspected to be subject to exposure from release of a hazerdous substance from the site. If you suspect a release, residents, students, and workers in the ¼- to 4-mile distance categories are secondary target population. If you do not suspect a release, all residents, students, and workers onsite and within 4 miles are considered secondary target population.

Use PA Table 8 (page 23). Enter the population in each secondary target population distance category, circle the assigned value, and record it on the far-right side of the table. Sum the far-right column and enter the total as the Secondary Target Population factor score.

- 5. Nearest Individual represents the threat posed to the person most likely to be exposed to a hazardous substance release from the site. If you have identified a primary target population, enter 50. Otherwise, assign the score from PA Table 8 (page 23) for the closest distance category in which you have identified a secondary target population.
- 6. Primary Sensitive Environments: If a release is suspected, all sensitive environments on or within ¼ mile of the site are considered primary targets. List them and assign values for sensitive environment type (from PA Table 5, page 16) and/or wetland acreage (from PA Table 9, page 23). Sum the values and enter the total as the factor score.
- 7. Secondary Sensitive Environments: If a release is suspected, sensitive environments in the %- to %-mile distance category are secondary targets; greater distances need not be evaluated because distance weighting greatly diminishes the impact on site score. If you do not suspect a release, all sensitive environments on and within ½ mile of the site are considered secondary targets. List each secondary sensitive environment on PA Table 10 (page 23) and assign a value to each using PA Tables 5 and 9. Multiply each value by the indicated distance weight and record the product in the farright column. Sum the products and enter the total as the factor score.
- 8. Resources: A score of 5 can generally be assigned as a default measure. Assign zero only if there is no land resource use within ½ mile.

Sum the target scores in Column A (Suspected Release) or Column B (No Suspected Release).

Waste Characteristics (WC)

9. Waste Characteristics: Score is assigned from page 4. However, if you have identified any primary target for the air pathway, assign either the score calculated on page 4 or a score of 32, whichever is greater.

<u>Air Pathway Score:</u> Multiply the scores for LR, T, and WC. Divide the product by 82,500. Round the result to the nearest integer. If the result is greater than 100, assign 100.

AIR PATHWAY SCORESHEET

			Pachwa	ey Cherecteristics				
		Do you suspect a release Distance to the neares	ise (see Air Pathway Crit t individual:	teria List, page 21)?		Yes	No	
						A	B	'
<u> [LI</u>	KELIHO	OD OF RELEASE				Suspented Raisese	No Suspected Release	References
1.		CTED RELEASE: If you	suspect a release to air in A for this pathway.	(see page 21), assign a		550	(tox	
2.		SPECTED RELEASE: If 500. Use only colum	you do not suspect a rel in 8 for this pathway.	ease to air, assign a			1	,
_					LR -	550		
	ARGETS						والمستوالين التناس	
3.			ON: Determine the num release of hazardous sub	-	10 =	0		
4.	suspec		ATION: Determine the release to air, and assign			27	(30,7,2.), ar Q	
5.	for the		I have identified any Prim core of 50; otherwise, a I 8.	•		20	130, 722 7. 4	
8.	(PA Tal		age values (PA Table 9)	itive environment values for environments subject				
		Sensitive En	vironment Type	Value		0		
7.		DARY SENSITIVE ENV	RONMENTS: Use PA Taive environments.	able 10 to determine	Sum =	0		
8.	RESOU					5	(\$ er 0\$	
UV	ASTF (CHARACTERISTICS			т =	52		
						(100 w 221		
g.	cha		lated on page 4, or a sco	pathway, assign the war re of 32, whichever is	\$te	1100,321, = 110	(100,33, e 10	
	-	ou have NOT identified ste characteristics score		he air pathway, assign th	6	32	, , , , , , , , , , , , , , , , , , ,	
					wc -	32	,	
			-			lades of the A	199	
Al	R PATH	WAY SCORE:		LR x T x W	<u>c</u>	11. C	9	

PA TABLE 8: VALUES FOR SECONDARY AIR TARGET POPULATIONS

		Nearest		Population Within Distance Category											
		Individual	7	11	31	101	301	1,001	3,001	10,001	30,001	100,001	300,001	Greater	
Distance		(choose	to	to.	to	£o	to .	80	f2	te	to '		6 -	than -	Population
from Site	Population	highest)	10	30	100	300	1,000	3,000	10,000	30,000	100,000	300,000	1,000,000	1,000,000	Value
Onsite	WORKERS WORKERS	(20').	. 1	2	6	16	52	163	521	1,633	5,214	. 16,325	52,136	163,246	1-1
>0 to % mile	31-100		1	(1)	1	4	13	41	130	408	1,303	4,081	13,034	40,811	1
> % to % mile	766	2	0	0	1	, 1	3	9	28	88	282	882	2,815	8,815	3
> % to 1 mile	3063	,	0	o	0	1	1	3	®	26	83	261	834	2,612	8
>1 to 2 miles	12252	0	. 0	0	0	0	1	1	3	8	27	83	266	833	8
> 2 to 3 miles	20420	0	. о	o	0	0	ı	1	1	(I)	12	38	120	376	_4_
>3 to 4 miles	2 <u>8589</u>	0	0	0	0	0	o	1	1	2	7	23	73	229	2
Nearest Individual = 20 Score = 2								27							

PA TABLE 9: AIR PATHWAY VALUES FOR WETLAND AREA

Wetland Area	Assigned Value			
Less than 1 acre	0			
1 to 50 acres	25			
Greater than 50 to 100 acres	75			
Greater than 100 to 150 acres	125			
Greater than 150 to 200 acres	175			
Greater than 200 to 300 acres	250			
Greater than 300 to 400 acres	350			
Greater than 400 to 500 acres	450			
Greater than 500 acres	500			

PA TABLE 10: DISTANCE WEIGHTS AND CALCULATIONS FOR AIR PATHWAY SECONDARY SENSITIVE ENVIRONMENTS

Distance	Distance Weight	Sensitive Environment Type and Value (from PA Table 5 or 9)		Product
Onsite	0.10	x		
		x		
		x		
0-1/4 mi	0.025	х		
		x		
		х		
1/4-1/2mi	0.0054	x		
		×		
		х		
		Total Environments Sc	010 =	0

SITE SCORE CALCULATION

In the column labeled S, record the Ground Water Pathway score, the Surface Water Pathway score, the Soil Exposure Pathway score, and the Air Pathway score. Square each pathway score and record the result in the S² column. Sum the squared pathway scores. Divide the sum by 4, and take the square root of the result to obtain the Site Score.

SUMMARY

Answer the summary questions, which ask for a qualitative evaluation of the relative risk of targets being exposed to a hazardous substance from the site. You may find your responses to these questions a good cross-check against the way you scored the individual pathways. For example, if you scored the ground water pathway on the basis of no suspected release and secondary targets only, yet your response to question #1 is "yes," this presents apparently conflicting conclusions that you need to reconsider and resolve. Your answers to the questions on page 24 should be consistent with your evaluations elsewhere in the PA scoresheets package.

Site name: Date:

SITE SCORE CALCULATION

<u>t.</u>	S	S²
GROUND WATER PATHWAY SCORE (Sow):	2.77	7.67
SURFACE WATER PATHWAY SCORE (Sow):	100	10000
SOIL EXPOSURE PATHWAY SC()RE (S,):	2	4
AIR PATHWAY SCORE (S.):	11.09	122.99
SITE SCORE:	$\sqrt{\frac{S_{gw^2} + S_{sw^2} + S_{s^2} + S_{a^2}}{4}}$	50-34

SUMMARY

		YES	NO
1.	Is there a high possibility of a threat to any nearby drinking water well(s) by migration of a hazardous substance in ground water?	0	×
	A. If yes, identify the well(s).		
	B. If yes, how many people are served by the threatened well(s)?		
2.	Is there a high possibility of a threat to any of the following by hazardous substance migration in surface water?		
	A. Drinking water intake B. Fishery C. Sensitive environment (wetland, critical habitat, others) D. If yes, identify the target(s). CHATAHOCHEE RIVER	KAKA	X 00
3.	Is there a high possibility of an area of surficial contamination within 200 feet of any residence, school, or daycare facility?	ο.	×
	If yes, identify the property(ies) and estimate the associated population(s).		
4.	Are there public health concerns at this site that are not addressed by PA scoring considerations? If yes, explain:		×

Page	\mathbf{of}
rage	Oī

APPENDIX A SITE INVESTIGATION SCORE SHEETS

SITE INSPECTION WORKSHEETS

CERCLIS IDENTIFICATION NUMBER

GAD984288191

· ·			OCATION					
	•	OR DESCRIPTIVE NAMI						
South	iern State	es Landfill	, Inc.	(AKA S	anifill)			
		SPECIFIC LOCATION I	DENTIFIER	<u>-</u>				
13	Collins	Road						
CITY A	tlanta		STATE GA	30318	TELEPHONE (404)			
1	TES: LATITUDE and		TOWNSHIP, P	LANGE, AND SECT	ION			
33° 40	9' 30.0" 8	4 27 57.0"	N.	<i>A</i>				
		OWNER/OPERATO	P INENTIEI	ATION				
OWNER		OWNERDOPERATOR	OPERATOR					
Raymon	nd Cash,	President	RAND	Y CHAST	AIN			
L ·	offess Oakdale	Road	P.O.	BOX 941	SIFILL 43			
Smy	irna		ATLANTA					
STATE	30080	TELEPHONE (404) 435 · 9962	STATE GA	30337	TELEPHONE (404) 799 - 1273			
		SITE EV	ALUATION					
BA EI	AGANIZATION DD Nazaro	lous Waste						
L_	tine Kella	м						
CONTACT Madel	leine Kella	m, GA EAD						
205	1154 E. Tou Butler S							
CITY	anta		STATE		30334			

TELEPHONE

(404) 656 2833

GENERAL INFORMATION

Site Description and Operational History: Provide a brief description of the site and its operational history. State the site name, owner, operator, type of facility and operations, size of property, active or inactive status, and years of waste generation. Summarize waste treatment, storage, or disposal activities that have or may have occurred at the site; note whether these activities are documented or alleged. Identify all source types and prior spills, floods, or fires. Summarize highlights of the PA and other investigations. Cite references.

The Southern States Landfill site is located on the western edge of the Atlanta City and Fulton County limits on the banks of the Chattahoochee River. It is bordered on the north by the Chattahoochee River, the southeast by Chambers Landfill, the west by Blue Circle Cement plant and on the east by a pair of CSX rail lines, sewage treatment plant, water treatment plant and other industrial facilities. The total property area consists of approximately thirty nine (39) acres. Primary land use in the area is heavily industrial and commercial use with limited residential use.


Previous to 1984, the site was mined for clay. The time frame for the mining activities at this time is unknown. No other pre-landfilling use is known at this time.

Permit Number 060-010D was issued November 5, 1975 to Southern States Landfill, Inc. authorizing the operation of a sanitary landfill. The landfill was not developed until R. M. Cash and Sons, Inc. purchased the property in June, 1984. Landfilling operations began in October of 1984.

Since beginning operations, the landfill has accepted putrescible and nonputrescible commercial and residential solid waste. Regulated hazardous wastes were not accepted at the landfill. Any amount of hazardous substance should not be greater than that found in typical municipal sanitary landfills.

The site was owned and operated by Southern States Landfill, Inc. from its opening in 1984 until mid 1990, when it was sold to Sanifill, Inc., the present owner and operator. Waste was deposited in sequential manner beginning at the northeast corner near the railroad. Sometime after initial operations began, a construction and demolition waste section was added near the river at the northwestern corner of the site.

GENERAL INFORMATION (continued)



GENERAL INFORMATION (continued)

Table 3-2), surface water (see HRS Table 4-2), and air (see HRS Tables 6-3 and 6-9).
The source is a 39-acre sanitary landfill occupying a
former clay mining excavation on the bank of the
Chattahoochee River. The site is unlined (ie. no ground
water containment) and a release to groundwater is
suspected. Leachate was observed at numerous locations
on the site, suggesting soil contamination (despite daily soil cover). In addition, leachate was observed
entering surface water, for eventual discharge to
the Chattahoochee River. (Surface water on the site is
directed to the River.) Air emissions at the site are
directed to the River.) Air emissions at the site are controlled by a vaccuum extraction system with a flare.

Hazardous Waste Quantity (HWQ) Calculation: SI Tables 1 and 2 (See HRS Tables 2-5, 2-6, and 5-2). The only tier which could be evaluated at this site was tier D (Area).

Landfill - 39 acres - HWQ=100

Attach additional pages, if necessary

HWQ = /00

GROUND WATER PATHWAY GROUND WATER USE DESCRIPTION

Conscribe Ground Water Use within 4 Miles of the Site:

Describe generalized stratigraphy, aquifers, municipal and private wells

The southern States (andfill is underlain by an unconfined fructured bedrock/sandite aquifer. Groundwater is such ascufers is usually encountered at depths
between 10 and 600 feet. The landfill is unlined,
and a release to ground water is suspected
based on ground water manitoring data. There
are no municipal supply wells within the
4-mile radius of the site. There are five (5)
domestic wells within the 4-mile radius;
however all are over 1 mile distant from
the site. Ground water use in this area is
minimal.

Show Calculations of Ground Water Drinking Water Populations for each Aquifer:

Provide apportionment calculations for blended supply systems.

County average number of persons per household: \(\geq \frac{1}{2} \) Reference \(\sigma \) Table ba

\[\frac{1}{4} - \frac{1}{4} \) mile

\[\frac{1}{4} - \frac{1}{4} \) miles

\[\frac{1}{4} - \frac{1}{4} - \frac{1}{4} \) miles

\[\frac{1}{4} - \frac{1}{4} - \frac{1}{4} - \frac{1}{4} \) miles

\[\frac{1}{4} -
GROUND WATER PATHWAY WORKSHEET

LIKELIHOOD OF RELEASE	Score	Data Type	Refs
OBSERVED RELEASE: If sampling data or direct observation	1	1750	neis
support a release to the aquifer, assign a score of 550. Record	j	j .	
observed release substances on SI Table 4.			
2. POTENTIAL TO RELEASE: Depth to aquifer:feet. If			
sampling data do not support a release to the aquifer, and the site i	8	1	
in karst terrain or the depth to aquifer is 70 feet or less, assign a	~		
score of 500; otherwise, assign a score of 340. Optionally,		i	
evaluate potential to release according to HRS Section 3.	İ		
LR	550	<u> </u>	
	وي من المنابع ا	4	
TARGETS			
Are any wells part of a blended system? Yes No			
If yes, attach a page to show apportionment calculations.			
3. ACTUAL CONTAMINATION TARGETS: If analytical evidence			
indicates that any target drinking water well for the aquifer has been	, (í i	
exposed to a hazardous substance from the site, evaluate the	'		
factor score for the number of people served (SI Table 5).			
14567 5567 757 1116 115111557 07 5667 1567 1567 1567			
Level I: people x 10 =		1	
Level II: people x 1 = Total =		l i	
		<u> </u>	
4. POTENTIAL CONTAMINATION TARGETS: Determine the number	r]	
of people served by drinking water wells for the aquifer or overlying			
aquifers that are not exposed to a hazardous substance from the	0.17	1	
site; record the population for each distance category in SI Table 6	$\mathbf{a} \mid \mathcal{O}_{\bullet} \mid \mathbf{i}$		
or 6b. Sum the population values and multiply by 0.1.			
5. NEAREST WELL: Assign a score of 50 for any Level Actual	_ }	1	
Contamination Targets for the aquifer or overlying aquifer. Assign			
score of 45 if there are Level II targets but no Level I targets. If no	5		
Actual Contamination Targets exist, assign the Nearest Well score from SI Table 6a or 6b. If no drinking water wells exist within 4 miles	.		
assign 0.) * [
6. WELLHEAD PROTECTION AREA (WHPA): If any source lies			
within or above a WHPA for the aquifer, or if a ground water		1 1	
observed release has occurred within a WHPA, assign a score of	1 6		
20; assign 5 if neither condition applies but a WHPA is within 4			
miles; otherwise assign 0.			
7. RESOURCES: Assign a score of 5 if one or more ground water			
resource applies; assign 0 if none applies.		1	
		1	
Imigation (5 acre minimum) of commercial food crops or]	j	
commercial forage crops	1	,	
Watering of commercial livestock Incommercial food propagation	1		
Ingredient in commercial food preparation	ì]	1
 Supply for commercial aquaculture Supply for a major or designated water recreation area, 	1		
Supply for a major or designated water recreation area, excluding drinking water use	}	['	
AXCINGING CHINNING MOTOL GOO	}]	
Sum of Targets T	= 5.17	1	<u> </u>
, Juli Oi largets i	~ [1	

GROUND WATER PATHWAY WORKSHEET (concluded)

W/A	STE CHARACTERISTICS	Score	Data Type	Does not Apply
8.	If any Actual Contamination Targets exist for the aquifer or overlying aquifers, assign the calculated hazardous waste quantity score or a score of 100, whichever is greater; if no Actual Contamination Targets exist, assign the hazardous waste quantity score calculated for sources available to migrate to ground water.	100		
9.	Assign the highest ground water toxicity/mobility value from SI Table 3 or 4.	100		
10.	Multiply the ground water toxicity/mobility and hazardous waste quantity scores. Assign the Waste Characteristics score from the table below: (from HRS Table 2-7)	100 X100 =		
	Product 0 >0 to <10 10 to <100 100 to <100 1,000 to <1,000 1,000 to <10,000 10,000 to <1E + 05 1E + 05 to <1E + 06 1E + 06 to <1E + 07 1E + 07 to <1E + 08 1E + 08 or greater WC Score 0 0 10 11 12 13 15 16 17 18 18 18 18 18 18 18 18 18	10,000 WC= 10		
# <u></u> _	WC =	10		<u></u>

Multiply LR by T and by WC. Divide the product by 82,500 to obtain the ground water pathway score for each aquifer. Select the highest aquifer score. If the pathway score is greater than 100, assign 100.


GROUND WATER PATHWAY SCORE:

LR X T X WC

0.345

(Maximum of 100)

SURFACE WATER PATHWAY



SURFACE WATER PATHWAY LIKELIHOOD OF RELEASE AND DRINKING WATER THREAT WORKSHEET

	(ELIHOOD OF RELEASE- 'ERLAND/FLOOD MIGRATION		Score	Data Type	Refs
	OBSERVED RELEASE: If sampling data or direct	t observation	00010	7 700	11013
١''	support a release to surface water in the watershe		l		
[of 550. Record observed release substances on		550		ĺ
	POTENTIAL TO RELEASE: Distance to surface			 -	
 • ·	If sampling data do not support a release to surface		ł]
ł	watershed, use the table below to assign a score				{
1	below based on distance to surface water and flo			ł	
}	Solow Deader of Cistation to Surface Water and he	od nequency.	,		ł
	Distance to surface water <2500 feet	500			[
	Distance to surface water >2500 feet, and:				·
	Site in annual or 10-yr floodplain	500	ļ	1	į
ł	Site in 100-yr floodplain	400			[
	Site in 500-yr floodplain	300			ľ
			ļ	1	
Į.	Site outside 500-yr floodplain	100		1	[
L					
	Contractive such as a such as a such as a set of the self-			1	
	Optionally, evaluate surface water potential to rele	eas e			
L	Optionally, evaluate surface water potential to release according to HRS Section 4.1.2.1.2	ease			
 			550		
L		ease LR =	550		
L	according to HRS Section 4.1.2.1.2		550		
	according to HRS Section 4.1.2.1.2 (ELIHOOD OF RELEASE	LR =		Data	
GF	According to HRS Section 4.1.2.1.2 (ELIHOOD OF RELEASE OUND WATER TO SURFACE WATER MIC	LR =	550 Score	Data Type	Refs
GF	CELIHOOD OF RELEASE COUND WATER TO SURFACE WATER MICOUND RELEASE: If sampling data or direct	LR =	Score		Refs
GF	CELIHOOD OF RELEASE OUND WATER TO SURFACE WATER MICOBSERVED RELEASE: If sampling data or direct support a release to surface water in the watersheeps.	LR = GRATION t observation d, assign a score			Refs
GF	CELIHOOD OF RELEASE COUND WATER TO SURFACE WATER MICOUND RELEASE: If sampling data or direct	LR = GRATION t observation d, assign a score	Score		Refs
<u>GF</u>	CELIHOOD OF RELEASE OUND WATER TO SURFACE WATER MICE OBSERVED RELEASE: If sampling data or direct support a release to surface water in the watershe of 550. Record observed release substances on	LR = GRATION tobservation ed, assign a score Si Table 7.	Score		Refs
<u>GF</u>	CELIHOOD OF RELEASE OUND WATER TO SURFACE WATER MICE OBSERVED RELEASE: If sampling data or direct support a release to surface water in the watershe of 550. Record observed release substances on TE: Evaluate ground water to surface water migraters.	LR = GRATION tobservation ed, assign a score SI Table 7. tion only for a	Score		Refs
<u>GF</u>	CELIHOOD OF RELEASE OUND WATER TO SURFACE WATER MICE OBSERVED RELEASE: If sampling data or direct support a release to surface water in the watershe of 550. Record observed release substances on	LR = GRATION tobservation ed, assign a score SI Table 7. tion only for a	Score		Refs
GF 1.	CELIHOOD OF RELEASE OUND WATER TO SURFACE WATER MICE OBSERVED RELEASE: It sampling data or direct support a release to surface water in the watershe of 550. Record observed release substances on TE: Evaluate ground water to surface water migrat surface water body that meets all of the following	LR = GRATION It observation It assign a score SI Table 7. Ition only for a conditions:	Score		Refs
<u>GF</u>	CELIHOOD OF RELEASE OUND WATER TO SURFACE WATER MICE OBSERVED RELEASE: If sampling data or direct support a release to surface water in the watershe of 550. Record observed release substances on TE: Evaluate ground water to surface water migrat surface water body that meets all of the following A portion of the surface water is within 1 mile of si	LR = GRATION It observation It assign a score SI Table 7. Ition only for a conditions:	Score		Refs
GF 1. NC	CELIHOOD OF RELEASE OUND WATER TO SURFACE WATER MICE OBSERVED RELEASE: It sampling data or direct support a release to surface water in the watershe of 550. Record observed release substances on TE: Evaluate ground water to surface water migrat surface water body that meets all of the following A portion of the surface water is within 1 mile of sit a containment factor greater than 0.	LR = GRATION It observation It observation It assign a score SI Table 7. Ition only for a conditions: It sources having	Score		Refs
GF 1. NC	CELIHOOD OF RELEASE OUND WATER TO SURFACE WATER MICE OBSERVED RELEASE: If sampling data or direct support a release to surface water in the watershe of 550. Record observed release substances on TE: Evaluate ground water to surface water migrat surface water body that meets all of the following A portion of the surface water is within 1 mile of si a containment factor greater than 0. No aquifer discontinuity is established between the content of the surface water than 1.	LR = GRATION It observation It observation It assign a score SI Table 7. Ition only for a conditions: It sources having	Score		Refs
1) 2)	CELIHOOD OF RELEASE OUND WATER TO SURFACE WATER MICE OBSERVED RELEASE: It sampling data or direct support a release to surface water in the watershe of 550. Record observed release substances on TE: Evaluate ground water to surface water migrat surface water body that meets all of the following A portion of the surface water is within 1 mile of sit a containment factor greater than 0.	LR = GRATION At observation At, assign a score SI Table 7. Ition only for a conditions: Ite sources having the source and the	Score		Refs

surface water.

Elevation of top of uppermost aquifer Elevation of bottom of surface water body

POTENTIAL TO RELEASE: Use the ground water potential to release. Optionally, evaluate surface water potential to release according to HRS Section 3.1.2.

LR = 550

SURFACE WATER PATHWAY LIKELIHOOD OF RELEASE AND DRINKING WATER THREAT WORKSHEET (CONTINUED)

DRINKING WATER THREAT TARGETS	Score	Data Type	Refs_
Record the water body type, flow, and number of people served by each drinking water intake within the target distance limit in the watershed. If there is no drinking water intake within the target distance limit, assign 0 to factors 3, 4, and 5.			
Are any intakes part of a blended system? Yes No If yes, attach a page to show apportionment calculations. 3. ACTUAL CONTAMINATION TARGETS: If analytical evidence indicates a drinking water intake has been exposed to a hazardous substance from the site, list the intake name and evaluate the factor score for the drinking water population (SI Table 8).			
Level II: people x 10 = Total =	0		
4. POTENTIAL CONTAMINATION TARGETS: Determine the number of people served by drinking water intakes for the watershed that have not been exposed to a hazardous substance from the site. Assign the population values from SI Table 9. Sum the values and multiply by 0.1.			
5. NEAREST INTAKE: Assign a score of 50 for any Level I Actual Contamination Drinking Water Targets for the watershed. Assign a score of 45 if there are Level II targets for the watershed, but no Level I targets. If no Actual Contamination Drinking Water Targets exist, assign a score for the intake nearest the PPE from SI Table 9. If no drinking water intakes exist, assign 0.			
RESOURCES: Assign a score of 5 if one or more surface water resource applies; assign 0 if none applies. Irrigation (5 acre minimum) of commercial food crops or commercial forage crops Watering of commercial livestock Ingredient in commercial food preparation Major or designated water recreation area, excluding drinking water use			
SUM OF TARGETS T=	0		

SURFACE WATER PATHWAY (continued) HUMAN FOOD CHAIN THREAT WORKSHEET

HU	MAN FOOD CHAIN THREAT	TARGETS	Score	Data Type	Refs
	Record the water body type and target distance limit. If there is no distance limit, assign a score of 0	o fishery within the target			
Fish	nery Name Water Body_	Flowcts	ı		
	Species Productio	nlbs/yr nibs/yr			
Fist	nery Name Water Body_	Flowcfs]
	Species Production Species Production	nlbs/yr nlbs/yr			
Fist	nery Name Water Body_	Flowcts		}	
	Species Production Production	nlbs/yr nlbs/yr			
FOO	OD CHAIN INDIVIDUAL				
7.	ACTUAL CONTAMINATION FISH	HERIES:			
	If analytical evidence indicates the a hazardous substance with a bid or equal to 500 (SI Table 10), assign 45 if there I fishery.	paccumulation factor greater than ign a score of 50 if there is a			
8.	POTENTIAL CONTAMINATION	FISHERIES:			
	If there is a release of a substance greater than or equal to 500 to a within the target distance limit, but fisheries, assign a score of 20. If there is no observed release to for potential contamination fisher	watershed containing fisheries there are no Level I or Level II the watershed, assign a value les from the table below using			
	the lowest flow at all fisheries with	- ·			
	Lowest Flow	FCI Value			
	<10 ds	20			
	10 to 100 cfs	2	•	l ·	1
	>100 cfs, coastal tidal waters, oceans, or Great Lakes	0			
	3-mile mixing zone in quiet flowing river	10			
		FCI Value =			
		SUM OF TARGETS T =	0		

SURFACE WATER PATHWAY (continued) ENVIRONMENTAL THREAT WORKSHEET

When measuring length of wetlands that are located on both sides of a surface water body, sum both frontage lengths. For a sensitive environment that is more than one type, assign a value for each type.

ENVIR	ONMENTA	j Tupi	EAT TARGET	·c			C	Data	D
Rec	ord the wate	er body ty nment wi	pe and flow for thin the target divironment within	each surf	see SI T	able 12).	Score	Туре	Refs
assi	gn a score o	of 0 at the	bottom of the p	age.	0. 0.0.0				
Environm	ent Name		Water Body Type		Flow	,			
						cfs) }
						cfs		}	
	•					cfs			
						cfs			
sam envi site, valu	pling data or ronment has record this is for the environment.	r direct o s been e information vironmen	ON SENSITIVE E bservation indica xposed to a haz on on SI Table 1 t (SI Tables 13 a	ate any se ardous se 1, and as and 14).	ensitive ubstanc isign a f	e from the actor			
	ent Name	Environr Value (S	nent Type and il Tables 13 & 14)	Multiplier Level I, 1 Level II)	for	Product			
Fisher	y-Clean Act		100	x I		100			
								j	
 		 		X				}	
				x	=				
				l _x					i
		· · · · · · · · · · · · · · · · · · ·				Sum =			
10. PO	FENTIAL CO	NTAMIN	IATION SENSIT	IVE ENV	IRONM	ENTS:			
Flow	Dilution Wei (SI Table 12	ght	Environment Typ Value (SI Tables	e and 13 & 14)	Pot. Cont.	Product			
3000 cfs	$,\infty$. 100		0.1 =	30			
cfs		x		х	0.1 =				
cts		x		х	0.1 =				
cfs		X-		x	0.1 =				
cfs		x		X_	0.1 =				
						Sum =		+	L
						T =	100		

SURFACE WATER PATHWAY (concluded) WASTE CHARACTERISTICS, THREAT, AND PATHWAY SCORE SUMMARY

WASTE CHARACT	ERISTICS					S∞re
chain, <u>or environ</u> the calculated ha whichever is grea		ts fo Intity	r the waters	she a sc	d, assign ore of 100,	100
15. Assign the highest Table 3 (no observed characterization factorization factorization factorizations wasted characteristics sco	red release) for the ctors below. Multipuantity score and	ha: oly e	zardous sub ach by the	osta sun	nce waste ace water	WC Score (from Table)
	Substance Value	-	HWQ		Product	(Maximum of 100)
Drinking Water Threat Toxicity/Persistence	40	X	100	-	4000	6
Food Chain Threat Toxicity/Persistence Bioaccumulation	2000	x	100		24105	10
Environmental Threat Ecotoxicity/Persistence/ Ecobioaccumulation	2×106	×	100		2×108	100
Product 0 >0 to <10 10 to <100 100 to <1,00 1,000 to <16 10,000 to <16 1E + 05 to <1 1E + 06 to <1 1E + 08 to <1 1E + 09 to <1 1E + 10 to < 1E + 11 to < 1E + 12 or g	0,000 E + 05 IE + 06 IE + 07 IE + 08 IE + 09 IE + 10 IE + 11		WC Score 0 1 2 3 6 10 18 32 56 100 180 320 560 1000			

SURFACE WATER PATHWAY THREAT SCORES

Threat	Likelihood of Release (LR) Score	Targets (T) Score	Pathway Waste Characteristics (WC) Score (determined above)	Threat Score <u>LR x T x WC</u> 82,500
Drinking Water	<i>5</i> 50	0	6	(maximum of 100)
Human Food Chain	550	0	10	(maximum of 100)
Environmental	550	100	100	(maximum of 60) 66. 7

SURFACE WATER PATHWAY SCORE (Drinking Water Threat + Human Food Chain Threat + Environmental Threat)

(maximum of 100)

SOIL EXPOSURE PATHWAY WORKSHEET RESIDENT POPULATION THREAT

LIKELIHOOD OF EXPOSURE	Score	Data Type	Refs
OBSERVED CONTAMINATION: If evidence indicates presence of observed contamination (depth of 2 feet or less), assign a score of 550; otherwise, assign a 0. Note that a likelihood of exposure			
score of 0 results in a soil exposure pathway score of 0.			
LE =	0		
		j	
TARGETS			
2. RESIDENT POPULATION: Determine the number of people		[
occupying residences or attending school or day care on or within 200 feet of areas of observed contamination (HRS section 5.1.3).			
Level I: people x 10 =		,	
Level II: people x 1 = Sum =	0		
3. RESIDENT INDIVIDUAL: Assign a score of 50 if any Level I			
resident population exists. Assign a score of 45 if there are Level II targets but no Level I targets. If no resident population exists (i.e.,	0		
no Level I or Level II targets), assign 0 (HRS Section 5.1.3).			
4. WORKERS: Assign a score from the table below for the total			
number of workers at the site and nearby facilities with areas of			
observed contamination associated with the site. Number of Workers Score			
0 0		ļ	
1 to 100 5	5		
101 to 1,000 10	ر	[
>1,000			
		L	
5. TERRESTRIAL SENSITIVE ENVIRONMENTS: Assign a value for each terrestrial sensitive environment (SI Table 16) in an area of			
observed contamination.			
Terrestrial Sensitive Environment Type Value			
Terrestrial Seriative Chercument Type	0		
Sum =			
6. RESOURCES: Assign a score of 5 if any one or more of the following resources is present on an area of observed		}	
contamination at the site; assign 0 if none applies.			
Commercial agriculture :			
Commercial silviculture	ļ		
Commercial livestock production or commercial livestock		1	
grazing		<u> </u>	
	5	1	
Total of Targets To		j	

SOIL EXPOSURE PATHWAY WORKSHEET NEARBY POPULATION THREAT

LIKELIHOOD OF EXPOSURE	Score	Data Type	Ref.
7. Attractiveness/Accessibility (from SI Table 17 or HRS Table 5-6) Value	_		
Area of Contamination (from SI Table 18 or HRS Table 5-7) Value			
Likelihood of Exposure (from SI Table 19 or HRS Table 5-8)			
LE =	125		

ΤΑ	RGETS	Score	Data Type	Ref.
3.	Assign a score of 0 if Level I or Level II resident individual has been evaluated or if no individuals live within 1/4 mile travel distance of an area of observed contamination. Assign a score of 1 if nearby population is within 1/4 mile travel distance and no Level I or Level II resident population has been evaluated.	1		
9.	Determine the population within 1 mile travel distance that is not exposed to a hazardous substance from the site (i.e., properties that are not determined to be Level I or Level II); record the population for each distance category in SI Table 20 (HRS Table 5-10). Sum the population values and multiply by 0.1.	4.4		
	T s	5.4		

SOIL EXPOSURE PATHWAY WORKSHEET (concluded)

WASTE CHARACTERISTICS 10. Assign the hazardous waste quantity score calculated for soil exposure	9
11. Assign the highest toxicity value from SI Table 16	
12. Multiply the toxicity and hazardous waste quantity scores. Assign the Waste Characteristics score from the table below: Product	wc = /
RESIDENT POPULATION THREAT SCORE: (Likelihood of Exposure, Question 1; Targets = Sum of Questions 2, 3, 4, 5, 6) LEXTXWC 82,500	0
NEARBY POPULATION THREAT SCORE: (Likelihood of Exposure, Question 7; Targets = Sum of Questions 8, 9) AS \(\times 5 \times 4 \times 7 \) B2,500	0.008
SOIL EXPOSURE PATHWAY SCORE: Resident Population Threat + Nearby Population Threat	∅. 0 0 8(Maximum of 100)

AIR PATHWAY WORKSHEET

1 11	KELIHOOD OF RELEASE	Score	Data Tugo	Refs
<u> </u>	OBSERVED RELEASE: If sampling data or direct observation	130018	Туре	U G 13
1'	support a release to air, assign a score of 550. Record observed	1	ł	
1	release substances on SI Table 21.		l	
15	POTENTIAL TO RELEASE: If sampling data do not support a	 	 	
, E.	release to air, assign a score of 500. Optionally, evaluate air	ì	1	
1	migration gaseous and particulate potential to release (HRS	Į.	i	
1	Section 6.1.2).	{	ł i	
L	Oddion C. n.e.j.	 		
	LR =	500	ł	
TA	RGETS		ł	
	ACTUAL CONTAMINATION POPULATION: Determine the number			
١٠.	of people within the target distance limit subject to exposure from a		1	
	release of a hazardous substance to the air.	ſ	1 1	
1	release of a flazaroous substatice to trie gir.	İ		1
1	a) Level I: noonle v 10 -	į .	} }	ł
1	a) Level I: people x 10 = Total =		ľ	ľ
1	b) Level II people x 1 = Total a	1	ŀ	ł
4.	POTENTIAL TARGET POPULATION: Determine the number of	†		
١٠.	people within the target distance limit not subject to exposure from	!	l	ł
ĺ	a release of a hazardous substance to the air, and assign the total	•	ł	i
ł	population score from SI Table 22. Sum the values and multiply the		ì	Ì
	sum by 0.1.		}	}
5.	NEAREST INDIVIDUAL: Assign a score of 50 if there are any Level			
3.	I targets. Assign a score of 45 if there are Level II targets but no		}	ŀ
}			1	Į
	Level I targets. If no Actual Contamination Population exists, assign		J	j
<u> </u>	the Nearest Individual score from SI Table 22.			
6.	ACTUAL CONTAMINATION SENSITIVE ENVIRONMENTS: Sum		ļ]
ŀ	the sensitive environment values (SI Table 13) and wetland			ł
Į.	acreage values (SI Table 23) for environments subject to exposure			ŀ
	from the release of a hazardous substance to the air.		f	- 1
]	Sensitive Environment Type Value			1
}	Sensitive Environment Type Value		l	I
}				f
1			1	
}			[į
}	Wetland Acreage Value		Ī	ſ
•		[[- (1
}		<u> </u>	1	1
t		į į	į	f
[<u></u>	(1	- 1
ــــــا				
7.	POTENTIAL CONTAMINATION SENSITIVE ENVIRONMENTS:	(İ	i
1	Use SI Table 24 to evaluate sensitive environments not subject to	_	i i	l
<u></u>	exposure from a release.			
8.	RESOURCES: Assign a score of 5 if one or more air resources	[i . I	
1	apply within 1/2 mile of a source; assign a 0 if none applies.	į l		ł
1	Commercial agriculture	1	1	1
1	Commercial silviculture			į
<u></u>	Major or designated recreation area			
		0		
	T =			

AIR PATHWAY (concluded)

WASTE CHARACTERISTICS

9.	If any Actual Contamination Target assign the calculated hazardous of of 100, whichever is greater; if the Targets for the air pathway, assign sources available to air migration.	waste quantity score or a seem are no Actual Contamire the calculated HWQ score	core O
10.	Assign the highest air toxicity/mol	bility value from SI Table 2	1.
11.	Multiply the air pathway toxicity/m quantity scores. Assign the Wast table below:		m the
	0 >0 to <10 10 to <100 100 to <1,000 1,000 to < 10,000 10,000 to <10,000 1E + 05 to <1E + 06 1E + 06 to <1E + 07 1E + 07 to <1E + 08	0 1 2 3 6 10 18 32	WC = O

AIR PATHWAY SCORE:

LE X T X WC 82,500 (maximum of 100)

* air emissions at this site are controlled using a vacuum extraction system and a flare.

SITE SCORE CALCULATION	S	82
GROUND WATER PATHWAY SCORE (SGW)	0.345	6.119
SURFACE WATER PATHWAY SCORE (Saw)	60	3600
SOIL EXPOSURE (Sg)	0.008	0.00006
AIR PATHWAY SCORE (SA)	0	0
SITE SCORE $\sqrt{\frac{9\text{gw}^2 + 9\text{sw}^2 + 9\text{s}^2 + 9\text{A}^2}{4}}$		30

COMMENTS	
·	